

Oat

Publications

2009

Juvonen, K., Purhonen, A.-K., Salmenkallio-Marttila, M., Lähteenmäki, L., Laaksonen, D., Herzig, K.-H., Uusitupa, M., Poutanen, K., Karhunen, L. Viscosity of oat bran-enriched beverages influences gastrointestinal hormonal responses in healthy humans. *Journal of Nutrition* 139, 461–466.

Hüttner, E. K., Dal Bello, F., Poutanen, K., Arendt, E. K. Fundamental evaluation of the impact of High Hydrostatic Pressure on oat batters. *Journal of Cereal Science*. In press.

2008

Flander, L., Rouau, X., Morel, M.-H., Autio, K., Seppänen-Laakso, T., Kruus, K., Buchert, J. Effects of laccase and xylanase on the chemical and rheological properties of oat and wheat doughs. *J Agric Food Chem* 56, 5732–5742.

Kaukovirta-Norja, A., Lehtinen, P. Traditional and modern oat-based foods. In: *Technology of Functional Cereal Products*. Hamaker, B. R. (ed.). Woodhead Publishing Ltd, Abington, Cambridge, England, 215–232.

Sontag-Strohm, T., Lehtinen, P., Kaukovirta-Norja, A. Oat products and their current status in the celiac diet. In: *Gluten-Free Cereal Products and Beverages*. Arendt, E. K. & Dal Bello, F. (eds). Elsevier, Amsterdam, 191–202.

2007

Flander, L., Salmenkallio-Marttila, M., Suortti, T. and Autio, K. Optimization of ingredients and baking process for improved oat bread quality. *LWT – Food Science and Technology* 40, 860–870.

Kaukovirta-Norja, A., Myllymäki, O., Aro, H., Hietaniemi, V., Wilhelmson, A., Poutanen, K. Functional oat fractions for healthy food products. In: *VTT Symposium 249*, p. 70/B2.
<http://www.vtt.fi/inf/pdf/symposiums/2007/S249.pdf>

Kiviharju, E., Ritala, A., Tanhuanpää, P., Kalendar, R., Manninen, O., Suortti, T., Hietaniemi, V., Pietilä, L., Oksman-Caldentey, K.-M., Nuutila, A. M., Schulman, A. Improving oat beta-glucan content by biotechnological methods. In: *VTT Symposium 249*, p. 120/D20.
<http://www.vtt.fi/inf/pdf/symposiums/2007/S249.pdf>

Lyly, M., Roininen, K., Honkapää, K., Poutanen, K. and Lähteenmäki, L. Factors influencing consumers' willingness to use beverages and ready-to-eat frozen soups containing oat beta-glucan in Finland, France and Sweden. *Food Quality and Preference*, 242–255.

Salmenkallio-Marttila, M., Heiniö, R.-L., Kaukovirta-Norja, A. & Poutanen, K. Flavour and texture in processing of oat foods. In *Oats, Chemistry and Technology*, P. Wood, ed., AACC, in press.

2005

Katina, K., Arendt, E., Liukkonen, K.-H., Autio, K., Flander, L., Poutanen, K. Potential of sourdough for healthier cereal products. *Trends Food Sci Tech* 16, 104–112.

2004

Kaukovirta-Norja, A., Wilhelmson, A. and Poutanen, K. (2004) Germination: a means to improve the functionality of oat. *Agric Food Sci* 13, 100–112.

Lyly, M., Salmenkallio-Marttila, M., Suortti, T., Autio, K., Poutanen, K. and Lähteenmäki, L. The sensory characteristics and rheological properties of soups containing oat and barley β -glucan before and after freezing. *Lebensm-Wiss u Technol* 37, 749–761.

Salmenkallio-Marttila, M., Heiniö, R.-L., Myllymäki, O., Lille, M., Autio, K. and Poutanen, K. Relating microstructure, sensory and instrumental texture of processed oat. *Agric Food Sci* 13, 124–137.

2003

Lantto, R., Niku-Paavola, M.-L., Salminen, H., Reinikainen, T., Autio, K. and Buchert, J. Crosslinking of oat proteins with transglutaminase and oxidative enzymes. In: *Recent Advances in Enzymes in Grain Processing*. Courtin, C.M., Veraverbeke, W.S. & Delcour, J.A. (Eds). Leuven: Laboratory of Food Chemistry, Katholieke Universiteit Leuven, 133–137.

Lyly, M., Salmenkallio-Marttila, M., Suortti, T., Autio, K., Poutanen, K. and Lähteenmäki, L. Influence of oat β -glucan preparations on the perception of mouthfeel and on rheological properties in beverage prototypes. *Cereal Chem* 80, 536–541.

2002

Crittenden, R., Karppinen, S., Ojanen, S., Tenkanen, M., Fagerström, R., Mättö, J., Saarela, M., Mattila-Sandholm, T. and Poutanen, K. In vitro fermentation of cereal dietary fibre carbohydrates by probiotic and intestinal bacteria. *J Sci Food Agric* 82, 781–789.

Heiniö, R.-L., Lehtinen, P., Oksman-Caldentey, K.-M. and Poutanen, K. Differences between the sensory profiles and development of rancidity during long-term storage of native and biotechnically processed oat. *Cereal Chem* 79, 367–375.

Nuutila, A.M., Villiger, C. and Oksman-Caldentey, K.-M. Embryogenesis and regeneration of green plantlets from oat (*Avena sativa* L.) leaf-base segments: influence of nitrogen balance, sugar and auxin. *Plant Cell Rep* 20, 1156–1161.

2001

Heiniö, R.-L., Oksman-Caldentey, K.-M., Latva-Kala, K., Lehtinen, P. and Poutanen, K. Effect of drying treatment conditions on sensory profile of germinated oat. *Cereal Chem* 78, 707–714.

Kaeppler, H.F., Menon, G.K., Skadsen, R.W., Nuutila, A.M. and Carlson, A.R. Transgenic oat plants via visual selection of cells expressing green fluorescent protein. *Plant Cell Rep* 19, 661–666.

Liukkonen, K., Kuokka, A. and Poutanen, K. (Eds). *Int. Symp. Whole Grain and Human Health*. Haikko Manor, 13-15 June 2001. Espoo: VTT 2001. VTT Symposium 213, 145 p.

Pihlava, J.-M. and Oksman-Caldentey, K.-M. Effect of biotechnological processing on phenolic compounds and antioxidativity in oats. In: *Biologically Active Phytochemicals in Food*. Pfannhauser, W., Fenwick, G.R. & Khokhar, S. (Eds). The Royal Society of Chemistry, 515–518.

Salmenkallio-Marttila, M., Katina, K. and Autio, K. Effects of bran fermentation on quality and microstructure of high-fiber wheat bread. *Cereal Chem* 78, 429–435.

Wilhelmson, A., Oksman-Caldentey, K.-M., Laitila, A., Suortti, T., Kaukovirtanorja, A. and Poutanen, K. Development of a germination process for producing high β -glucan, wholegrain food ingredients from oat. *Cereal Chem* 78, 715–720.

2000

Karppinen S., Liukkonen K., Aura, A.-M., Forssell P. and Poutanen K. In vitro fermentation of polysaccharides of rye, wheat and oat bran and inulin by human faecal bacteria. *J Sci Food Agric* 80, 1469–1476.

1999

Shamekh, S., Forssell, P., Suortti, T., Autio, K. and Poutanen, K. Fragmentation of oat and barley starch granules during heating. *J Cereal Sci* 30, 173–182.

1998

Forssell, P., Shamekh, S., Härkönen, H. and Poutanen, K. Effects of native and enzymatically hydrolyzed soya and oat lecithins in starch phase transitions and bread baking. *J Sci Food Agric* 76, 31–38.

Jaskari, J., Kontula, P., Siitonen, A., Jousimies-Somer, H., Mattila-Sandholm, T. and Poutanen, K. Oat beta-glucan and xylan hydrolyzates as selective substrates for probiotic strains of *Bifidobacterium* and *Lactobacillus*. *Appl Microb Biotechnol* 49, 175–181.

Kontula, P., von Wright, A. and Mattila-Sandholm, T. Oat bran β -gluco- and xylo-oligosaccharides as fermentative substrates for lactic acid bacteria. *Int J Food Microbiol* 45, 163–169.

Kontula, P., Jaskari, J., Nollet, L., De Smet, I., von Wright, A., Poutanen, K., and Mattila-Sandholm, T. The colonization of the Simulator of the Human Intestinal Microbial Ecosystem (SHIME) by a probiotic strain fed in a fermented oat bran product: Effects on the gastrointestinal microbiota. *Appl Microbiol Biotechnol* 50, 246–252.

Poutanen, K., Suortti, T., Aura, A.-M., Liukkonen, K. and Autio, K. Influence of processing on cereal dietary fibre complex: what do we know now? In: *Functional Properties of Non-Digestible Carbohydrates*. Guillon, F., Amado, R., Amaral-Collaco, M.T., Andersson, H., Asp, N.G., Bach Knudsen, K.E., Champ, M., Mathers, J., Robertson, J.A., Rowland, I. and Van Loo, J. (Eds), INRA, pp. 66–70.

1996

Jaskari, J., Mattila-Sandholm, T., Salovaara, H. and Poutanen, K. Acid tolerance of *Lactobacillus rhamnosus* in the presence of oat bran. *Proc. COST Action 92 Workshop "Dietary fibre and fermentation in the colon"*. Mälkki, Y. and Cummings, J.H. (Eds.), EC DG XII, pp. 51–57.

1995

Jaskari, J., Henriksson, K., Nieminen, A., Suortti, T., Salovaara, H. and Poutanen, K. (1995) Effect of hydrothermal and enzymic treatments on the viscous behavior of dry- and wet-milled oat brans. *Cereal Chem* 72, 625–631.

1994

Aura, A-M., Forssell, P., Mustranta, A., Suortti, T. and Poutanen, K. Enzymatic hydrolysis of oat and soya lecithin: effects on functional properties. *JAOCS* 71, 887–891

Shamekh, S., Forssell, P. and Poutanen, K. Solubility pattern and recrystallization behaviour of oatstarch. *Starch/Stärke* 46, 129–133.

1993

Jaskari, J., Salovaara, H., Mattila-Sandholm, T. and Poutanen, K. The effect of oat beta-glucan on the growth of selected *Lactobacillus* spp. and *Bifidobacterium* spp. Proceedings of 25th Nordic Cereal Congress, Helsinki, Finland June 6-9, 1993, pp.242–244.

Suortti, T. Size exclusion chromatographic determination of β -glucan with post-column reaction detection. *J Chromatogr* 632, 105–110.

Virtanen, T., Autio, K., Suortti, T. and Poutanen, K. Heat-induced changes in native and acid-modified oat starch pastes. *J Cereal Sci* 17, 137–145.

1992

Autio, K., Myllymäki, O., Suortti, T., Saastamoinen, M., Poutanen, K. Physical properties of beta-glucan preparates isolated from Finnish oat varieties. *Food Hydrocolloids* 5, 513–522.

Autio, K., Virtanen, T. and Mälkki, Y. Effects of processing on the microstructure of oat (*Avena sativa*) bran concentrate and the physicochemical properties of isolated β -glucans. *Food Structure* 11, 47–54.

Mälkki, Y., Autio, K., Hänninen, O., Myllymäki, O., Pelkonen, K., Suortti, T. and Törrönen, R. Oat bran concentrates: physical properties of beta-glucan and hypocholesterolemic effects in rats. *Cereal Chem* 69, 647–653.

1990

Autio, K. Rheological and microstructural changes of oat and barley starches during heating and cooling. *Food Structure* 9, 297–304.

1989

Myllymäki, O., Mälkki, Y. and Autio, K. A process for fractioning oat crop into industrial raw materials. *Int Pat Appl WO 89/01294*

1988

Autio, K. Rheological properties of solutions of oat beta-glucans. In: "Gums and stabilizers for the food industry 4. Elsevier, London, pp. 483–488.

1987

Autio, K., Myllymäki, O. and Mälkki, Y. Flow properties of solutions of oat beta-glucans. J Food Sci 52, 1364.

Doctoral theses

Lyly, M. Added β -glucan as a source of fibre for consumers. VTT, 2006.

Pdf: <http://www.vtt.fi/inf/pdf/publications/2006/P594.pdf>

Heiniö, R.-L. Influence of processing on the flavour formation of oat and rye. VTT, 2003.

Pdf: <http://www.vtt.fi/inf/pdf/publications/2003/P494.pdf>