

Obesity and weight control

Publications

2009

Kotronen, A, Velagapudi, VR, Yetukuri, L, Westerbacka, J, Bergholm, R, Ekroos, K, Makkonen, J, Taskinen, M-R, Orešič, M, Yki-Järvinen, H. Saturated fatty acids containing triacylglycerols are better markers of insulin resistance than total serum triacylglycerol concentrations, *Diabetologia* 52(4), 684-690, 2009

Kotronen, A, Seppänen-Laakso, T, Westerbacka, J, Kiviluoto, T, Arolas, JT, Ruskeepää, A-L, Orešič, M, Yki-Järvinen, H. Hepatic SCD1 activity and diacylglycerol but not ceramide concentrations are increased in the non-alcoholic human fatty liver, *Diabetes* 58, 203-208, 2009

Lankinen, M, Schwab, U, Gopalacharyulu, PV, Seppänen-Laakso, T, Yetukuri, L, Sysi-Aho, M, Kallio, P, Suortti, T, Laaksonen, DE, Gylling, H, Poutanen, K, Kolehmainen, M, Orešič, M. Dietary carbohydrate modification alters serum metabolic profiles in individuals with the metabolic syndrome, *Nutr. Metab. Cardiovasc. Dis.*, 2009, In Press

Lankinen, M, Schwab, U, Erkkilä, A, Seppänen-Laakso, T, Hannila, M-L, Mussalo, H, Lehto, S, Uusitupa, M, Gylling, H, Orešič, M. Fatty fish intake decreases lipids related to inflammation and insulin signaling - a lipidomics approach, *PLoS ONE* 4(4), e5258, 2009

Orešič, M. Metabolomics, a novel tool for studies of nutrition, metabolism and lipid dysfunction, *Nutr. Metab. Cardiovasc. Dis.*, 2009, Accepted.

2008

Karhunen LJ, Juvonen KR, Huotari A, Purhonen AK, Herzig KH. Effect of protein, fat, carbohydrate and fibre on gastrointestinal peptide release in humans. *Regul Pept* 2008, [Epub ahead of print]

Kaurijoki S, Kuikka JT, Niskanen E, Carlson S, Pietiläinen KH, Pesonen U, Kaprio JM, Rissanen A, Tiihonen J, Karhunen L. Association of serotonin transporter promoter regulatory region polymorphism and cerebral activity to visual presentation of food. *Clin Physiol Funct Imaging* 28: 270-276, 2008

Kekkonen, RA, Sysi-Aho, M, Seppänen-Laakso, T, Julkunen, I, Vapaatalo, H, Orešič, M, Korpela, R. Effect of probiotic *Lactobacillus rhamnosus* GG intervention on serum global lipidomics profiles in healthy adults, *World J Gastroenterol* 14, 3188-1394, 2008

Kolehmainen M, Salopuro T, Schwab US, Kekäläinen J, Kallio P, Laaksonen DE, Pulkkinen L, Lindi V, Sivenius K, Mager U, Siitonen N, Niskanen L, Gylling H, Rauramaa R, Uusitupa M. Weight reduction modulates expression of genes involved in extracellular matrix and cell death: the GENOBIN study. *Int J Obes* 32: 292-303, 2008

Koskela AK, Kaurijoki S, Pietiläinen KH, Karhunen L, Pesonen U, Kuikka JT, Kaprio J, Rissanen A. Serotonin transporter binding and acquired obesity - an imaging study of monozygotic twin pairs. *Physiol Behav* 93: 724-732, 2008

Lappalainen T, Kolehmainen M, Schwab U, Pulkkinen L, Laaksonen DE, Rauramaa R, Uusitupa M, Gylling H. Serum concentrations and expressions of serum amyloid A in adipose tissue are

interrelated independently of body mass index - The Genobin Study. *Eur J Endocrinol* 158: 333-341, 2008

Mager U, Kolehmainen M, de Mello VDF, Schwab U, Laaksonen DE, Rauramaa R, Gylling H, Atalay M, Pulkkinen L, Uusitupa M. Expression of ghrelin gene in peripheral blood mononuclear cells and plasma ghrelin concentrations in patients with metabolic syndrome. *Eur J Endocrinol* 158: 499-510, 2008

de Mello VD, Kolehmainen M, Schwab U, Mager U, Laaksonen DE, Pulkkinen L, Niskanen L, Gylling H, Atalay M, Rauramaa R, Uusitupa M. Effect of weight loss on cytokine messenger RNA expression in peripheral blood mononuclear cells of obese subjects with the metabolic syndrome. *Metabolism* 57: 192-199, 2008

Minehira KM, Young, SG, Villanueva CJ, Yetukuri L, Oresic M, Hellerstein MK, Farese Jr, Robert V, Horton JD, Preitner F, Thorens B, Tappy L. Blocking VLDL secretion causes hepatic steatosis but does not affect peripheral lipid stores or insulin sensitivity in mice. *Journal of Lipid Research* 2008, in press

Pietiläinen KH, Naukkarinen J, Rissanen A, Saharinen J, Ellonen P, Keränen H, Suomalainen A, Götz A, Suortti, T, Yki-Järvinen, H, Oresic, M, Kaprio J, Peltonen, L. Global transcript profiles of fat in monozygotic twins discordant for BMI: pathways behind acquired obesity. *PLoS Medicine* 5: 0472-0483, 2008

Pilvi, TK, Seppänen-Laakso, T, Simolin, H, Finckenberg, P, Huotari, A, Herzig, KH, Korpela, R, Orešič, M, Mervaala, EM. Metabolomic changes in fatty liver can be modified by dietary protein and calcium during energy restriction, *World J. Gastroenterol.* 14 (28), 4462-4472, 2008

Schwab, U, Seppänen-Laakso, T, Yetukuri, L, Ågren, J, Kolehmainen, M, Laaksonen, DE, Ruskeepää, A-L, Gylling, H, Uusitupa, M, Orešič, M. Triacylglycerol fatty acid composition in diet-induced weight loss in subjects with abnormal glucose metabolism – the GENOBIN Study, *PLoS ONE* 3(7), e2630, 2008

Tolppanen AM, Pulkkinen L, Herder C, König W, Kolehmainen M, Lindström J, Tuomilehto J, Uusitupa M for the Finnish Diabetes Prevention Study. The genetic variation of the tenomodulin gene (*TNMD*) is associated with serum levels of systemic immune mediators in a body size-dependent manner - the Finnish Diabetes Prevention Study, *Int J Obes* 32 (12), 1868-1872, 2008.

2007

Curtis RK, Vidal-Puig A, Oresic M. Analysis and data integration. New York: Informa Healthcare. *Obesity. Genomics and Postgenomics.* Clement, K. & Sorensen TIA (Eds.), pp. 491-512, 2007

Hallikainen M, Kolehmainen M, Schwab U, Laaksonen DE, Niskanen L, Rauramaa R, Uusitupa M, Miettinen TA, Gylling H. Serum adipokines are associated with cholesterol metabolism in the metabolic syndrome. *Clin Chim Acta* 383: 126-132, 2007

Heinonen MV, Karhunen LJ, Chabot ED, Toppinen LK, Juntunen KS, Laaksonen DE, Siloaho M, Liukkonen KH, Herzig KH, Niskanen LK, Mykkänen HM. Plasma ghrelin levels after two high-carbohydrate meals producing different insulin responses in patients with metabolic syndrome. *Regul Pept* 138:118-125, 2007

Kolak M, Westerbacka J, Velagapudi V, Wågsäter D, Yetukuri L, Makkonen J, Rissanen A, Häkkinen A-M, Lindell M, Bergholm R, Hamsten A, Eriksson P, Fisher RM, Oresic M, Yki-Järvinen

H. Adipose tissue inflammation and increased ceramide content characterize subjects with high liver fat content independent of obesity. *Diabetes* 56: 1960-1968, 2007

Medina-Gomez, G, Gray, S, Yetukuri, L, Shimomura, K, Campbell, M, Curtis, K, Virtue, S, Jimenez-Linan, M, Blount, M, Yeo, G, Lopez, M, Seppänen-Laakso, T, Ashcroft, F. M, Orešič, M, Vidal-Puig, A. PPAR γ 2 prevents lipotoxicity by controlling adipose tissue expandability and peripheral lipid metabolism, *PLoS Genet.* 3: e64, 2007

Ohls N, Salmenkallio-Marttila M, Lähteenmäki L, Liukkonen KH, Lyly M. The effect of fibre amount, energy level and viscosity of beverages containing oat fibre on perceived satiety. Poster presentation at ILSI Functional -Foods in Europe – International developments in Science and Health Claims, 9th-11th May 2007, Malta

Pietiläinen KH, Sysi-Aho M, Rissanen A, Seppänen-Laakso T, Yki-Järvinen H, Kaprio J, Oresic M. 2007. Acquired obesity is associated with changes in the serum lipidomic profile independent of genetic effects – a monozygotic twin study. *PLoS ONE* 2: e218, 2007

Salmenkallio-Marttila M, Karhunen L, Gunnarsdottir I, Johansson M, Due A. A Nordic project: Substantiation of weight regulation and satiety related health claims on foods. Poster presentation at ILSI Functional -Foods in Europe – International developments in Science and Health Claims, 9th-11th May 2007, Malta

Tolppanen AM, Pulkkinen L, Kolehmainen M, Schwab U, Lindström J, Tuomilehto J, Uusitupa M, Finnish Diabetes Prevention Study Group. Tenomodulin is associated with obesity and diabetes risk: the Finnish diabetes prevention study. *Obesity* 15: 1082-1088, 2007

Yetukuri L, Katajamaa M, Medina-Gomez G, Seppänen-Laakso T, Vidal Puig A, Oresic M. Informatics strategies for phenotype characterization using lipid pathways. 15th Annual International Conference on Intelligent Systems for Molecular Biology (ISMB) & 6th European Conference on Computational Biology (ECCB). Vienna, Austria, 21 - 25 July 2007. Abstract

Yetukuri L, Katajamaa M, Medina-Gomez G, Seppänen-Laakso T, Vidal-Puig A, Oresic M. Bioinformatics strategies for lipidomics analysis: characterization of obesity related hepatic steatosis. *BMC Systems Biology* 1: e12, 2007

2006

Lähteenmäki L. Gaining consumer acceptance of low-fat foods. Cambridge, UK: Woodhead Publishing Limited. *Improving the Fat Content of Foods*. Williams C & Buttriss J (Eds.). Pp. 236-251, 2006

Mager U, Lindi V, Lindström J, Eriksson JG, Valle TT, Hämäläinen H, Ilanne-Parikka P, Keinänen-Kiukaanniemi S, Tuomilehto J, Laakso M, Pulkkinen L, Uusitupa M for the Finnish Diabetes Prevention Study Group. Association of the Leu72Met polymorphism of the ghrelin gene with the risk of type 2 diabetes in subjects with impaired glucose tolerance in the Finnish Diabetes Prevention Study. *Diabet Med* 23: 685-689, 2006

Mager U, Kolehmainen M, Lindström J, Eriksson JG, Valle TT, Hämäläinen H, Ilanne-Parikka P, Keinänen-Kiukaanniemi S, Tuomilehto JO, Pulkkinen L, Uusitupa M for the Finnish Diabetes Prevention Study Group. Association between ghrelin gene variations and blood pressure in subjects with impaired glucose tolerance. *Am J Hypertens* 19: 920-926, 2006

Pietiläinen KH, Rissanen A, Kaprio J, Seppänen-Laakso T, Yki-Järvinen H, Oresic M. Metabolomics in monozygotic twins - new aspects in the lipid metabolism of obesity. 10th International Congress on Obesity. Sydney, Australia, 3 - 8 Sept. 2006

Pietiläinen KH, Naukkarinen J, Oresic M, Yki-Järvinen H, Peltonen L, Kaprio J, Rissanen A. Consequences of acquired obesity: gene expression in adipose tissue and serum lipidomic profiles in monozygotic twins discordant for obesity. Annual Scientific Meeting of the Obesity Society. Boston, MA, 20 - 24 Oct. 2006

Poutanen K. Oat and beta-glucan - healthy solutions for consumers. Functional Food Network - General Meeting. Turku, Finland, 8 - 10 March 2006

2005

Salopuro T, Pulkkinen L, Lindström J, Eriksson JG, Valle TT, Hämäläinen H, Ilanne-Parikka P, Keinänen-Kiukaanniemi S, Tuomilehto J, Laakso M, Uusitupa M. Genetic variation in leptin receptor gene is associated with type 2 diabetes and body weight: The Finnish Diabetes Prevention Study. *Int J Obes* 29: 1245-1251, 2005

2004

Liukkonen K-H, Kauppinen S, Karppinen S, Karhunen L, Autio K, Lähteenmäki L. Elintarvikkeet, kylläisyys ja painonhallinta. Kirjallisuustutkimus (Food, satiety and weight control). Espoo: VTT Biotekniikka. 91 s. 2004. (VTT Tiedotteita - Research Notes; 2234) <http://www.vtt.fi/inf/pdf/tiedotteet/2004/T2234.pdf>

Martikainen T, Pirinen E, Alhava E, Poikolainen E, Pääkkönen M, Uusitupa M, Gylling H. Long-term results, late complications and quality of life in a series of adjustable gastric banding. *Obes Surg* 14: 648-654, 2004

2003

Karhunen L, Kuikka JT, Uusitupa M. Aivojen kuvantaminen syömishäiriöiden ja lihavuuden tutkimuksessa. *Duodecim*, 119, 859-865, 2003

Kolehmainen M, Uusitupa MI, Alhava E, Laakso M, Vidal H. Effect of the Pro12Ala polymorphism in the peroxisome proliferator-activated receptor (PPAR) gamma2 gene on the expression of PPARgamma target genes in adipose tissue of massively obese subjects. *J Clin Endocrinol Metab* 88: 1717-1722, 2003

Poutanen K, Liukkonen K-H, Lähteenmäki L, Autio K. 2003. New approaches for enhancing health benefits of cereal products. *Dietary Fibre 2003*. Noordwijkerhout, The Netherlands, 18 - 21 May 2003, Pp. 39-40, 2003

Sivenius K, Niskanen L, Laakso M, Uusitupa M. A deletion in the α_{2B} -adrenergic receptor gene and autonomic nervous function in central obesity. *Obes Res* 11: 962-970, 2003

Tammela LI, Rissanen A, Kuikka JT, Karhunen LJ, Bergström KA, Repo-Tiihonen E, Naukkarinen H, Vanninen E, Tiihonen J, Uusitupa M. Treatment improves serotonin transporter binding and reduces binge eating. *Psychopharmacology* 170: 89-93, 2003

2002

Heo M, Leibel RL, Fontaine KR, Boyer BB, Chung WK, Koulu M, Karvonen MK, Pesonen U, Rissanen A, Laakso M, Uusitupa MI, Chagnon Y, Bouchard C, Donohue PA, Burns TL, Shuldiner AR, Silver K, Andersen RE, Pedersen O, Echwald S, Sorensen TI, Behn P, Permutt MA, Jacobs KB, Elston RC, Hoffman DJ, Gropp E, Allison DB. A meta-analytic investigation of linkage and association of common leptin receptor (LEPR) polymorphisms with body mass index and waist circumference. *Int J Obes Relat Metab Disord* 26: 640-646, 2002

Kolehmainen M, Vidal H, Ohisalo J, Pirinen E, Alhava E, Uusitupa M. Hormone sensitive lipase expression and adipose tissue metabolism show gender difference in obese subjects after weight loss. *Int J Obes Relat Metab Disord* 26: 6-16, 2002

2001

Heo M, Leibel RL, Boyer BB, Chung WK, Koulu M, Karvonen MK, Pesonen U, Rissanen A, Laakso M, Uusitupa MI, Chagnon Y, Bouchard C, Donohue PA, Burns TL, Shuldiner AR, Silver K, Andersen RE, Pedersen O, Echwald S, Sorensen TI, Behn P, Permutt MA, Jacobs KG, Elston RC, Hoffman DJ, Allison DB. Pooling analysis of genetic data: the association of leptin receptor (LEPR) polymorphisms with variables related to human adiposity. *Genetics* 159: 1163-1178, 2001

Kolehmainen M, Vidal H, Alhava E, Uusitupa MIJ. Sterol regulatory element binding protein 1c (SREBP-1c) expression in human obesity. *Obes Res* 9: 706-712, 2001

Kuikka JT, Tammela L, Karhunen L, Rissanen A, Bergström KA, Naukkarinen H, Vanninen E, Karhu J, Lappalainen R, Repo-Tiihonen E, Tiihonen J, Uusitupa M. Reduced serotonin transporter binding in binge eating women. *Psychopharmacology* 155: 310-314, 2001

Kuikka JT, Tammela L, Bergström KA, Karhunen L, Uusitupa M, Tiihonen J. Effects of ageing on serotonin transporters in healthy females. *Eur J Nucl Med* 28: 911-913, 2001

Lindi V, Sivenius K, Niskanen L, Laakso M, Uusitupa MIJ. Effect of the Pro12Ala polymorphism of the PPAR γ -2 gene on long-term weight change in Finnish non-diabetic subjects. *Diabetologia* 44: 925-926, 2001

Pulkkinen P, Korhonen I, van Gils M, Lappalainen R. Long-term self-monitoring of weight. A case study. Tampere: Finnish Association for Behaviour Analysis and Cognitive Behaviour Therapy. Nordic-Baltic Congress of Cognitive Behaviour Therapy. Tampere, FI, 26 - 28 April 2001. Programme & Abstracts. Tuomisto, M (ed.), p. 16

Pärkkä J, Korhonen I, Tuomisto T, van Gils M, Lappalainen R. Wireless support system for personal weight management. Tampere: Finnish Association for Behaviour Analysis and Cognitive Behaviour Therapy. Nordic-Baltic Congress of Cognitive Behaviour Therapy. Tampere, FI, 26 - 28 April 2001. Programme & Abstracts. Tuomisto, M (ed.), p. 35.

Rissanen P, Vahtera E, Krusius T, Uusitupa M, Rissanen A. Weight change and blood coagulability and fibrinolysis in healthy obese women. *Int J Obes* 25: 212-218, 2001

Sivenius K, Lindi V, Niskanen L, Laakso M, Uusitupa M. Effect of a three-amino acid deletion in the alpha 2B-adrenergic receptor gene on long-term body weight change in Finnish non-diabetic and type 2 diabetic subjects. *Int J Obes Relat Metab Disord* 25: 1609-1614, 2001

2000

Karhunen L, Franssila-Kallunki A, Rissanen P, Valve R, Kolehmainen M, Rissanen A, Uusitupa M. Effect of orlistat treatment on body composition and resting energy expenditure during two-year weight-reduction programme in obese Finns. *Int J Obes Relat Metab Disord* 24: 1567-1572, 2000

Karhunen LJ, Vanninen EJ, Kuikka JT, Lappalainen RI, Tiihonen J, Uusitupa MI. Regional cerebral blood flow during exposure to food in obese binge eating women. *Psychiatry Res* 99: 29-42, 2000

Kolehmainen M, Ohisalo JJ, Kaartinen JM, Tuononen V, Pääkkönen M, Poikolainen E, Alhava E, Uusitupa MIJ. Concordance of *in vivo* microdialysis and *in vitro* techniques in the studies of adipose tissue metabolism. *Int J Obes* 24: 1426-1432, 2000

van Gils M, Korhonen I, Tuomisto T, Lappalainen R, Saranummi N. Wireless monitoring system for personal weight control. Chicago: IEEE Engineering in Medicine and Biology Society. Proceedings of the 22nd Annual International Conference of the IEEE EMBS. Chicago, US, 23 - 28 July 2000. CD-ROM

1999

Heinonen P, Koulu M, Pesonen U, Karvonen MK, Rissanen A, Laakso M, VALVE R, Uusitupa M, Scheinin M. Identification of a three amino acid deletion in the α_2B -adrenergic receptor that is associated with reduced basal metabolic rate in obese subjects. *J Clin Endocrinol Metab* 84: 2429-2433, 1999

Karhunen LJ, Lappalainen RI, Vanninen EJ, Kuikka JT, Uusitupa MIJ. Serum leptin and regional cerebral blood flow during exposure to food in obese and normal-weight women. *Neuroendocrinology* 69: 154-159, 1999

Rössner S, Sjöström L, Noack R, Meinders AE, Nosedá G on behalf of the European Orlistat Obesity Study Group (The other investigators in the study group: Attali J-R, Drouin P, Irsigler K, Kaffarnik H, Lebmeier R, Lindgärde F, Magometschnigg D, MatthusVliegen EMH, Uusitupa M). Weight loss, weight maintenance and improved cardiovascular risk factors after 2 years treatment with orlistat for obesity. *Obes Res* 8: 49-61, 1999

Valve R, Sivenius K, Miettinen R, Pihlajamäki J, Rissanen A, Deeb SS, Auwerx J, Uusitupa M, Laakso M. Two polymorphisms in the peroxisome proliferator activated receptor gamma (PPAR) gene are associated with severe overweight among obese women. *J Clin Endocrinol Metab* 84: 3708-3712, 1999

Vidgren HM, Ågren JJ, Valve RS, Karhunen LJ, Rissanen AM, Uusitupa MIJ. The effect of orlistat on the composition of serum lipid fractions in obese subjects. *Clin Pharmacol Ther* 66: 315-322, 1999

1998

Fogelholm M, Valve R, Kukkonen-Harjula K, Nenonen A, Hakkarainen V, Laakso M, Uusitupa M. Additive effects of the mutations in the beta3-adrenergic receptor and uncoupling protein-1 genes on weight loss and weight maintenance in Finnish women. *J Clin Endocrinol Metab* 83: 4246-4250, 1998

Kansanen M, Vanninen E, Tuunainen A, Pesonen P, Tuononen V, Hartikainen J, Mussalo H, Uusitupa M. The effect of a very low-calorie diet-induced weight loss on the severity of obstructive sleep apnoea and autonomic nervous function in obese patients with obstructive sleep apnoea syndrome. *Clin Physiol* 4: 377-385, 1998

Karhunen LJ, Lappalainen RI, Haffner SM, Valve RH, Tuorila H, Miettinen H, Uusitupa MJ. Serum leptin, food intake and preferences for sugar and fat in obese women. *Int J Obes* 22: 819-821, 1998

Karvonen MK, Pesonen U, Heinonen P, Laakso M, Rissanen A, Naukkarinen H, Valve R, Uusitupa MJ, Koulu M. Identification of new sequence variants in the leptin gene. *J Clin Endocrinol Metab* 83: 3239-3242, 1998

Valve R, Heikkinen S, Rissanen A, Laakso M, Uusitupa M. Synergistic effect of the polymorphisms in the uncoupling protein 1 and β_3 -adrenergic receptor genes on basal metabolic rate in obese Finns. *Diabetologia* 41: 357-361, 1998

Doctoral theses

Mager Ursula: The role of ghrelin in obesity and insulin resistance. University of Kuopio, 2008
Abstract: <http://www.uku.fi/vaitokset/2008/ISBN978-951-27-0948-9umager.htm>

Purhonen Anna-Kaisa: Signals arising from the gastrointestinal tract that affect food intake. University of Kuopio, 2008
Abstract: <http://www.uku.fi/vaitokset/2008/ISBN978-951-27-1121-5akpurhonen.htm>

Lindi Virpi: Role of the human PPAR gamma2 gene in obesity, insulin resistance and type 2 diabetes. University of Kuopio, 2005
Abstract: <http://www.uku.fi/vaitokset/2005/ISBN951-27-0387-4vlindi.htm>
Pdf: <http://www.uku.fi/vaitokset/2005/isbn951-27-0387-4.pdf>

Sivenius Katariina: Genetic studies on type 2 diabetes mellitus with special emphasis on obesity and microvascular complications. University of Kuopio, 2004
Abstract: <http://www.uku.fi/vaitokset/2004/ISBN951-781-483-6ksivenius.htm>
Pdf: <http://www.uku.fi/vaitokset/2004/isbn951-781-483-6.pdf>

Kolehmainen Marjukka: Metabolic studies on adipose tissue in severe obesity. University of Kuopio, 2003
Abstract: <http://www.uku.fi/vaitokset/2003/ISBN951-781-341-4mkolehmainen.htm>
Pdf: <http://www.uku.fi/vaitokset/2003/isbn951-781-341-4.pdf>

Rissanen Päivi: Weight loss and fat distribution in obese women; effects on leptin, cardiovascular risk factors and cardiac parasympathetic activity. University of Kuopio, 2002
Abstract: <http://www.uku.fi/vaitokset/2002/ISBN951-781-878-5prissanen.htm>
Pdf: <http://www.uku.fi/vaitokset/2002/isbn951-781-878-5.pdf>

Valve Raisa: Studies on genetic regulation of basal metabolic rate in obese subjects. University of Kuopio, 2001
Abstract: <http://www.uku.fi/vaitokset/2001/rvalve.htm>

Karhunen Leila: Regulation of eating behaviour in human obesity with special reference to cephalic phase reactivity. University of Kuopio, 1998
Abstract: <http://www.uku.fi/vaitokset/1998/tiedotteet/lkarhunen2.html>

Hakala Paula: Conventional treatment of adult obesity. Short- and long-term effects of various weight reduction programmes. University of Kuopio, 1994

Lappalainen Raimo: A behavioral approach to eating habits. Uppsala University, 1993

Nuutinen Outi: Long-term weight reduction in obese children. University of Kuopio, 1992

Jalkanen Laura: Studies on obesity and on the effect of intervention on overweight hypertensive subjects. University of Kuopio, 1991