

Barley

2009

Raulio, M., Wilhelmson, A., Salkinoja-Salonen, M., Laitila, A. 2009. Ultrastructure of biofilms formed on barley kernels during malting with and without starter culture. *Food Microbiol* 26, 437-443.

2008

Juvonen, R., Koivula, T. and Haikara, A. 2008. Group-specific PCR-RFLP and real-time PCR methods for detection and tentative discrimination of strictly anaerobic beer-spoilage bacteria of the class *Clostridia*. *Int J Food Microbiol* 125, 162-169.

Landberg, R., Kamal-Eldin, A., Salmenkallio-Marttila, M., Rouau, X., Åman, P. 2008. Localization of alkylresorcinols in wheat, rye and barley kernels. *Journal of Cereal Science* 48, 401-406.

Ritala, A., Wahlström, E. H., Holkeri, H., Hafren, A., Mäkeläinen, K., Baez, J., Mäkinen, K., Nuutila, A. M. 2008. Production of a recombinant industrial protein using barley cell cultures. *Protein Expression and Purification* 59, 274-281.

Wilhelmson, A., Vilpola, A., Peltola, P., Räsänen, E., Kotaviita, E., Home, S., Laitila, A. 2008. The use of modified atmosphere to control malt quality. *Tech Q Master Brew Assoc Am* 45, 245-252.

Yli-Mattila, T., Paavanen-Huhtala, S., Jestoi, M., Parikka, P., Hietaniemi, V., Gagkaeva, T., Sarlin, T., Haikara, A. Laaksonen, S., Rizzo, A. 2008. Real-time PCR detection and quantification of *Fusarium poae*, *F. graminearum*, *F. sporotrichioides* and *F. langsethiae* in cereal grains in Finland and Russia. *Archives of Phytopathology and Plant Protection* 41, 243-260.

2007

Laitila, A., Kotaviita, E., Peltola, P., Home, S., Wilhelmson, A. 2007. Indigenous microbial community of barley greatly influences grain germination and malt quality. *J Inst Brew* 113, 9-20.

Laitila, A., Sarlin, T., Kotaviita, E., Huttunen, T., Home, S., Wilhelmson, A. 2007. Yeasts isolated from industrial maltings can suppress *Fusarium* growth and formation of gushing factors. *J Ind Microbiol Biotechnol* 34, 701-713.

Pekkarinen, A. I., Longstaff, Colin, Jones, B. L. 2007. Kinetics of the inhibition of *Fusarium* serine proteinases by barley (*Hordeum vulgare* L.) inhibitors. *Journal of Agricultural and Food Chemistry*. 55, 2736-2742.

Rajala, A., Peltonen-Sainio, P., Kauppila, R., Wilhelmson, A., Reinikainen, P., Kleemola, J. 2007. Within-field variation in grain yield, yield components and quality traits of two-rowed barley. *J Agric Sci* 145, 445-454.

Sarlin, T., Vilpola, A., Kotaviita, E., Olkku, J., Haikara, A. 2007. Fungal hydrophobins in the barley-to-beer chain. *Journal of the Institute of Brewing* 113, 147-153.

Wilhelmson, A., Kallio, P.T., Oksman-Caldentey, K.-M., Nuutila, A.M. 2007. Heterologous expression of *Vitreoscilla haemoglobin* in barley (*Hordeum vulgare*). *Plant Cell Rep* 26, 1773-1783.

2006

Joensuu, J., Kotiaho, M., Teeri, T., Valmu, L., Nuutila, A. M., Oksman-Caldentey, K.-M., Niklander-Teeri, V. 2006. Glycosylated F4 (K88) fimbrial adhesin FaeG expressed in barley endosperm induces ETEC-neutralizing antibodies in mice . *Transgenic Research* 15, 359-373.

Juvonen, R., Suihko, M.-L. 2006. *Megasphaera paucivorans* sp. nov., *Megasphaera sueciensis* sp. nov. and *Pectinatus haikarae* sp. nov., isolated from brewery samples, and emended description of the genus *Pectinatus*. *Int J Syst Evol Microbiol* 56, 695-702.

Koivula, T., Juvonen, R., Haikara, A., Suihko, M.-L. 2006. Characterization of the brewery spoilage bacterium *Obesumbacterium proteus* by automated ribotyping and development of PCR methods for its biotype 1. *J Appl Microbiol* 100, 398-406.

Laitila, A., Sweins, H., Vilpola, A., Kotaviita, E., Olkku, J., Home, S., Haikara, A. 2006. *Lactobacillus plantarum* and *Pediococcus pentosaceus* starter cultures as a tool for microflora management in malting and for enhancement of malt processability. *J Agric Food Chem* 54, 3840-3851.

Laitila, A., Wilhelmson, A., Kotaviita, E., Olkku, J., Home, S., Juvonen, R. 2006. Yeasts in an industrial malting ecosystem. *J Ind Microbiol Biotechnol* 33, 953-966.

Rautio, J., Satokari, R., Kataja, K., Huuskonen, A., Vuokko, H., Laitila, A., Wilhelmson, A., Home, S., Söderlund, H., Londesborough, J. 2006. Analysing barley to beer chain. *New Food*. 9, 15-17.

Sarlin, T., Yli-Mattila, T., Jestoi, M., Rizzo, A., Paavanen-Huhtala, S., Haikara, A. 2006. Real-time PCR for quantification of toxigenic *Fusarium* species in barley and malt . *European Journal of Plant Pathology* 114, 371-380.

Storgårds, E., Tapani, K., Hartwall, P., Saleva, R., Suihko, M.-L. 2006. Microbial attachment and biofilm formation in brewery bottling plants. *J Am Soc Brew Chem* 64, 8-15.

Wilhelmson, A., Häkkinen, S.T., Kallio, P.T., Oksman-Caldentey, K.-M., Nuutila, A.M. 2006. Heterologous expression of *Vitreoscilla* hemoglobin (VHb) and cultivation conditions affect the alkaloid profile of *Hyoscyamus muticus* hairy roots. *Biotechnology Progress* 22, 350-358.

Wilhelmson, A., Laitila, A., Vilpola, A., Olkku, J., Kotaviita, E., Fagerstedt, K., Home, S. 2006. Oxygen deficiency in barley (*Hordeum vulgare*) grain during malting. *J Agric Food Chem* 54, 409-416.

2005

Evans, E., Collins, H., Eglinton, J., Wilhelmson, A. 2005. Assessing the impact of the level of diastatic power enzymes and their thermostability on the hydrolysis of starch during wort production to predict malt fermentability. *J Am Soc Brew Chem* 63, 185-198.

Holopainen, U. R. M., Wilhelmson, A., Salmenkallio-Marttila, M., Peltonen-Sainio, P., Rajala, A., Reinikainen, P., Kotaviita, E., Simolin, H., Home, S. 2005. Endosperm structure affects the malting quality of barley (*Hordeum vulgare* L.). *J Agric Food Chem* 53, 7279-7287.

Olkku, J., Kotaviita, E., Salmenkallio-Marttila, M., Sweins, H., Home, S. 2005. Connection between structure and quality of barley husk. *J Am Soc Brew Chem* 63, 17-22.

Ritala, A., Marttila, S., Wilhelmson, A., Nuutila, A.M. 2005. Inducing homozygosity in transgenic barley (*Hordeum vulgare* L.) by microspore culture. *Acta Physiologiae Plantarum* 27, 601-609.

Sarlin, T., Nakari-Setälä, T., Linder, M., Penttilä, M., Haikara, A. 2005. Fungal hydrophobins as predictors of the gushing activity of malt. *J Inst Brew* 111, 105-111.

Sarlin, T., Laitila, A., Pekkarinen, A., Haikara, A. 2005. Effects of three *Fusarium* species on the quality of barley and malt. *J Am Soc Brew Chem* 63, 43-49.

2004

Laitila, A., Saarela, M., Kirk, L., Siika-aho, M., Haikara, A., Mattila-Sandholm, T., Virkajärvi, I. 2004. Malt sprout extract medium for cultivation of *Lactobacillus plantarum* protective cultures. *Lett Appl Microbiol* 39, 336-340.

Lyly, M., Salmenkallio-Marttila, M., Suortti, T., Autio, K., Poutanen, K., Lähteenmäki, L. 2004. The sensory characteristics and rheological properties of soups containing oat and barley beta-glucan before and after freezing. *Lebensmittel-Wissenschaft und –Technologie* 37, 749-761.

Mäkinen, K., Nuutila, A.M. 2004. Barley seed as a production host for industrially important proteins. *AgBiotechNet* 6 (No: ABN119), 1N-8N.

2003

Pekkarinen, A.I., Jones, B.L. 2003. Purification and identification of barley (*Hordeum vulgare* L.) proteins that inhibit the alkaline serine proteinases of *Fusarium culmorum*. *J Agric Food Chem* 51, 1710-1717.

Pekkarinen, A.I., Sarlin, T.H., Laitila, A.T., Haikara, A.I., Jones, B.L. 2003. *Fusarium* species synthesize alkaline proteinases in infested barley. *J Cereal Sci* 37, 349-356.

2002

Holmberg, J.-E., Hämäläinen, J., Reinikainen, P., Olkku, J. 2002. A model for predicting the effects of a steeping program on the germination of barley with different water sensitivities. *J Inst Brew* 108, 416-423.

Laitila, A., Alakomi, H.-L., Raaska, L., Mattila-Sandholm, T., Haikara, A. 2002. Antifungal activities of two *Lactobacillus plantarum* strains against *Fusarium* moulds *in vitro* and in malting of barley. *J. Appl Microbiol* 93, 566-576.

Nuutila, A. M., Ritala, A., Salmenkallio-Marttila, M., Aspegren, K., Aikasalo, R., Kurtén, U., Tammissola, J., Teeri, T., Mannonen, L., Kauppinen, V. 2002. Improvement of malting quality of barley by complementing the malt enzyme spectrum. *Phytochem Rev* 1, 135-140.

Nykänen, M., Raudaskoski, M., Nevalainen, H., Mikkonen, A. 2002. Maturation of barley cysteine endopeptidase expressed in *Trichoderma reesei* is distorted by incomplete processing. *Canadian Journal of Microbiology* 48, 138-150.

Pekkarinen, A., Jones, B. 2002. Trypsin-like proteinase produced by *Fusarium culmorum* grown on grain proteins. *J Agric Food Chem* 50, 3849 - 3855.

Pöyri, S., Mikola, M., Sontag-Strohm, T., Kaukovirta-Norja, A., Home, S. 2002. The formation and hydrolysis of barley malt gel-protein under different mashing conditions. *J Inst Brew* 108, 261-267.

Ritala, A., Nuutila, A.M., Aikasalo, R., Kauppinen, V., Tammissola, J. 2002. Measuring gene flow in the cultivation of transgenic barley. *Crop Sci* 42, 278-285.

2001

Autio, K., Simoinen, T., Salmenkallio-Marttila, M., Lassila, K., Wilhelmson, A. 2001. Structural and enzymic changes in germinated barley and rye. *J Inst Brew* 107, 19-25.

Haikara, A., Laitila, A. 2001. The use of lactic acid bacteria cultures in malting improvement. Conf. Plant microbial interactions: Positive interactions in relation to crop production and utilisation. *Aspects on Applied Biology* 63, 229-238.

Ritala, A., Mannonen, L., Oksman-Caldentey, K.-M. 2001. Factors affecting the regeneration capacity of isolated barley microspores (*Hordeum vulgare* L.). *Plant Cell Reports* 20, 403-407.

2000

Bergman, E.-L., Autio, K., Sandberg, A.-S. 2000. Optimal conditions for phytate degradation, estimation of phytase activity, and localization of phytate in barley (Cv. Blenheim). *J Agric Food Chem* 48, 4647-4655.

Bertoft, E., Manelius, R., Myllärinen, P., Schulman, A. 2000. Characterization of dextrans solubilized by alfa-amylase from barley starch granules. *Starch/Stärke* 52, 160-163.

Lauro, M., Poutanen, K., Forssell, P. 2000. Effect of partial gelatinization and lipid addition on alfa-amylolysis of barley starch granules. *Cereal Chem* 77, 595-601.

Nuutila, A. M., Hämäläinen, J., Mannonen, L. 2000. Optimization of media nitrogen and copper concentrations for regeneration of green plants from polyembryogenic cultures of barley (*Hordeum vulgare* L.). *Plant Science* 151, 85-92.

Pekkarinen, A., Mannonen, L., Jones, B., Niku-Paavola, M.-L. 2000. Production of proteases by *Fusarium* species grown on barley grains and in media containing cereal proteins. *J Cereal Sci* 31, 253-261.

Doctoral theses

Laitila Arja. 2007. Microbes in the tailoring of barley malt properties. VTT Biotechnology, Espoo. 107 p. + app. 79 p. VTT Publications: 645. Pdf: <http://www.vtt.fi/inf/pdf/publications/2007/P645.pdf>

Wilhelmson Annika. 2007. The importance of oxygen availability in two plant-based bioprocesses: hairy root cultivation and malting. VTT Biotechnology, Espoo, 66 p. + app. 56 p. VTT Publications: 652. Pdf: <http://www.vtt.fi/inf/pdf/publications/2007/P652.pdf>

Lyly, Marika. 2006. Added β -glucan as a source of fibre for consumers 2006. VTT, Espoo. 96 p. + app. 70 p, VTT Publications: 594. Pdf: <http://www.vtt.fi/inf/pdf/publications/2006/P594.pdf>

Pekkarinen, Anja. 2003. The serine proteinases of *Fusarium* grown on cereal proteins and in barley grain and their inhibition by barley proteins 2003. VTT Biotechnology, Espoo. 90 p. + app. 74 p. VTT Publications: 487. Pdf: <http://www.vtt.fi/inf/pdf/publications/2003/P487.pdf>

Lauro, Marianna. 2001. Alpha-amylolysis of barley starch. 2001. VTT Biotechnology, Espoo. 45 p. + app. 40 p. VTT Publications : 433. Pdf: <http://www.vtt.fi/inf/pdf/publications/2001/P433.pdf>